



Natural Disaster Relief Safety Products Brochure

www.pipusa.com





EXPECT THE UN

PIP's natural disaster relief PPE features essential head-to-toe safety products designed to protect the brave recovery teams, volunteers and local officials who make relief a reality. As a global leader in hand protection and PPE, PIP® is proud to offer quality safety products to distribution partners across the country to better support the safe and efficient recovery of homes, neighborhoods and communities affected by catastrophic acts of nature.

ACCOUNT FOR KEY HAZARDS ASSOCIATED WITH RESPONSE ACTIVITIES:



Flood Waters and Hazardous Liquids



Sharp, Pointed and Abrasive Debris



Live Electrical Hazards



Rough and Cluttered Terrain

PROTECTION DESIGNED TO WEATHER THE AFTERMATH:



HEAD PROTECTION



EYE PROTECTION



RESPIRATORY PROTECTION



HAND PROTECTION



ARM PROTECTION



PROTECTIVE CLOTHING



FOOT PROTECTION



HEAT STRESS



WARNING BEACONS



ELECTRICAL SAFETY

A worker in an orange safety vest and hard hat stands next to a large orange truck, holding a large orange pipe. The word "EXPECTED" is overlaid in white text.

EXPECTED

Hand and Arm Protection

Seamless Knit Cut Resistant



ANSI
A4

19-D526B

- Lightweight and provides excellent dexterity, tactile sensitivity and cut resistance
- Knit wrist helps prevent dirt and debris from entering the glove

TOUCHSCREEN COMPATIBLE



ANSI
A2

713KSNF

- Resistant to light heat and spark
- Thin flexible coating ideal for applications that require hand dexterity

MADE WITH KEVLAR®

Disposable



LATEX

64-346PF

- ISO 5 (Class 100) cleanroom glove with fully textured grip ideal for wet or dry environments

ISO 5 CLEANROOM



NITRILE

63-230PF

- Economical puncture resistance with great comfort, dexterity and tactile sensitivity
- Complies with FDA food handling requirements, 21 CFR 177.2600

TEXTURED FINGER GRIP



NON-LATEX SYNTHETIC

63-346PF

- Excellent form fitting grip powder-free design for clean comfort and good resistance to liquids and debris



HEAVY-DUTY VINYL

64-V77BPF

- Offers heavy-duty protection without sacrificing comfort, fit and flexibility

Reusable Nitrile



EN 374
ABK

50-N110G

- Raised diamond grip pattern provides excellent grip in dry and wet conditions
- Provides protection against chemical and physical hazards not always found in thinner gauge nitrile disposables

High Performance



120-5900

- Reinforced synthetic leather palm, TPR back of hand and hi-vis breathable shell combines durable and comfortable protection for heavy-duty applications

Gtek® Seamless Knit Cut Resistant Gloves

STYLE NUMBER	ANSI CUT	EN388	COATING	COATING COVERAGE	COATING COLOR	LINER	LINER COLOR	GAUGE	SIZES	PROP 65
19-D526B	A4	4543	Polyurethane	Palm & Fingers	Black	Dyneema® Diamond	Black	13	XS-2XL	-
713KSNF	A2	4343BX	Nitrile Foam	Palm & Fingers	Black	Kevlar®	Yellow	13	XS-2XL	-

Ambi-dex® Non-Latex Synthetic Gloves

STYLE NUMBER	21 CFR	CFIA	GRADE	THICKNESS	COLOR	GRIP PATTERN	POWDER	SIZES	BOX COUNT	PROP 65
64-346PF	Yes	No	Industrial	4 mil	White	Smooth	Powder-Free	S-XL	100	⚠️ C&R

Ambi-dex® Vinyl

64-V2000	Yes	No	Industrial	4 mil	White	Smooth	Powdered	S-2XL	100	⚠️ C&R
64-V2000PF	Yes	No	Industrial	4 mil	White	Smooth	Powder-Free	S-2XL	100	⚠️ C&R
64-V3000	Yes	No	Industrial	3 mil	White	Smooth	Powdered	S-2XL	100	⚠️ C&R
64-V3000PF	Yes	No	Industrial	3 mil	White	Smooth	Powder-Free	XS-XL	100	⚠️ C&R

Ambi-dex® Heavy-Duty Vinyl Gloves

64-435PF	Yes	No	Premium	5 mil	White	Smooth	Powder-Free	S-XL	100	⚠️ C&R
64-V77BPF	Yes	No	Industrial	5 mil	Blue	Smooth	Powder-Free	S-XL	100	⚠️ C&R

Ambi-dex® Nitrile Single-Use Gloves

67-305	Yes	No	Food	4.5 mil	Blue	Textured	Powder-Free	S-3XL	50	-
63-230PF	Yes	No	Food	3 mil	Blue	Textured	Powder-Free	S-XL	100	-

Assurance® Unlined Nitrile Gloves

STYLE NUMBER	EN 374	21 CFR	CFIA	POLYMER	COLOR	THICKNESS	CUFF	LENGTH	CONSTRUCTION	GRIP PATTERN	LINING	SIZES
50-N110G	ABK	Yes	Yes	Nitrile	Green	11 mil	Straight	13"	Unsupported	Raised Diamond	Unlined	S-2XL

High Performance Gloves

STYLE	ANSI CUT	EN388	ANSI CSB	GRIP	BACK	CUFF	COLOR	SIZES
120-5900	-	311DX	1	PVC Sandy Grip	Spandex	Slip-On with Hook & Loop Closure	Hi-Vis Orange/Black	M-3XL

Above-The-Neck PPE



Head Protection



JSP® EVO® VISTAshield™ Ascend™
280-EVSV-CH

- Fully adjustable 4-point chin strap
- Adjustable integrated face protection
- Optimal protection against vertical and lateral impacts as well as liquid splash and airborne debris
- ANSI Type I; Class C

Tested to mandatory EN 12492 shock and penetration requirements



Mips

SEE ACCESSORIES



PIP® Traverse™
280-HP1491RM

- Mips® technology protects against angled impacts that commonly result in traumatic head injuries
- Meets ANSI Z89.1 Type II, Class E protection requirements
- Also available in vented, Class C (280-HP1491RVM)



Dynamic® Whistler™
280-HP241R

- Classic cap styling
- Wheel ratchet size adjustment
- ANSI/CSA Type I; Class E
- Optimal comfort and protection against general top of head impacts



Dynamic® Kilimanjaro™
280-HP641R

- Classic full brim styling
- Wheel ratchet size adjustment
- ANSI/CSA Type I, Class E
- Optimal comfort and protection against top of head impacts



JSP® HardCap Aerolite™ Bump Cap with 1" Micro Brim
282-AEM130

- Lightweight and cool, weighs less than 5 oz.
- HDPE liner provides all-around protection
- Unique size adjuster provides a quick, secure fit
- Optimal protection from light bumps and scrapes

JSP® EVO® VISTAshield™ Ascend™			STANDARDS MET		SHELL MATERIAL	SUSPENSION	SIZE ADJUSTMENT	BRIM	OPTIONS	AVAILABLE COLORS	PROP 65
STYLE NUMBER	CLASS	TYPE	ANSI Z89.1	CSA Z94.1-15							
280-EVSV-CH	Class C (VENTED)	Type I	•		ABS	6-Point Polyester Textile	Wheel Ratchet	Short	Integrated eye protection	White/White, White/Smoke, Black/Smoke/Silver CR2	⚠️ ^R
PIP® Traverse™											
280-HP1491RM	Class E (NON-VENTED)	Type II	•		ABS	N/A	Wheel Ratchet	Short	Full attachments offering	White, Black, Yellow, Orange, Red, Hi-Vis Yellow, Gray, Navy	
280-HP1491RVM	Class C (VENTED)	Type II	•		ABS	N/A	Wheel Ratchet	Short	Full attachments offering	White, Black, Yellow, Orange, Red, Hi-Vis Yellow, Gray, Navy	
Dynamic® Whistler™											
280-HP241R	Class E (NON-VENTED)	Type I	•	•	HDPE	4-Point Nylon	Wheel Ratchet	Standard	-	White, Yellow, Orange, Gray, Red, Hi-Vis Orange, Hi-Vis Yellow	
Dynamic® Kilimanjaro™											
280-HP641R	Class E (NON-VENTED)	Type I	•	•	HDPE	4-Point Nylon	Wheel Ratchet	Full	-	White, Yellow, Orange, Gray, Red, Hi-Vis Orange, Hi-Vis Yellow	

C=⚠️ **WARNING:** Cancer - www.P65Warnings.ca.gov

R=⚠️ **WARNING:** Reproductive Harm - www.P65Warnings.ca.gov

C&R=⚠️ **WARNING:** Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Go-To-Work Kits



Whistler™ GTW Kit
289-GTW-HP241

- Kit Includes:
- Type I white cap style hard hat
 - Type R Class 2 hi-vis vest
 - Z87.1+ certified clear safety glasses
 - Seamless knit nitrile coated GP gloves



Kilimanjaro™ GTW Kit
289-GTW-HP641

- Kit Includes:
- Type I white full brim hard hat
 - Type R Class 2 hi-vis vest
 - Z87.1+ certified clear safety glasses
 - Seamless knit nitrile coated GP gloves

Eye Protection



MEETS ANSI
Z87.1+

MISSION™
251-63

Helps provide protection from projectiles, impact and liquid splash while remaining breathable



MEETS ANSI
Z87.1+

ULTRA-LYTE™
250-14

The lightest eye protection on the market provides unparalleled comfort and protection from debris



MEETS ANSI
Z87.1+

CEFIRO™
250-CE

Seals out dust and fine particulates

Goggles

STANDARDS MET

STYLE	LENS	COATING	FRAME	ANSI Z87.1+	CSA Z94.3	ANSI D3 DROPLET	BASE CURVE	VENTS	FRAME MATERIAL	HEADBAND	PROP 65
Mission™											
251-63-0520	□ Clear	Fogless 3Sixty™	■ Dark Green	.	.	.	6	Indirect ventilation	TPR	Elastic	-

Eyewear

STANDARDS MET

STYLE	LENS	COATING	FRAME	ANSI Z87.1+	CSA Z94.3	BASE CURVE	FIT	BRIDGE	TEMPLE	PROP 65
Ultra-Lyte™										
250-14-0520	□ Clear	Fogless 3Sixty™	□ Clear	.	.	10	Universal	Molded	Spring Fit	⚠️ R
250-14-0521	■ Gray	Fogless 3Sixty™	■ Gray	.	.	10	Universal	Molded	Spring Fit	⚠️ R
Cefiro™										
250-CE-10091	■ Gray	Anti-Scratch / Anti-Fog	■ Black	.	.	8.75	Narrow	Rubber	Bayonet	⚠️ R
250-CE-10092	□ I/O	Anti-Scratch / Anti-Fog	■ Black	.	.	8.75	Narrow	Rubber	Bayonet	⚠️ R

C = ⚠️ WARNING: Cancer - www.P65Warnings.ca.gov R = ⚠️ WARNING: Reproductive Harm - www.P65Warnings.ca.gov C&R = ⚠️ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Electrical Safety



Class 2
16" Bell Cuff Insulating Glove
161-2-16

Bell cuff design for convenient use with insulating sleeves



Class 2
Rubber Insulating Sleeve
199-2

Dipped construction provides superior comfort and flexibility while working with high voltage



Class 00 Electrical Safety Kit
147-SK-00

Insulating gloves, leather protectors and storage bag for convenient electrical safety



Class 0 Electrical Safety Kit
147-SK-0

Insulating gloves, leather protectors and storage bag for convenient electrical safety

Hearing Protection



33
NRR

Mega Flare™ Plus 267-HPF910

- Design resists backing out of ear
- Non-irritating smooth outer surface
- PowerSoft™ Foam Technology features a proprietary polyurethane formulation that delivers optimal recovery time, easy insertion and maximum all-day comfort
- Shape conforms to most ear canals for maximum sound attenuation



32
NRR

Mega Bullet™ 267-HPF210

- Regular size fits most ear canals
- Easy roll-down for quick and easy insertion
- PowerSoft™ Foam Technology features a proprietary polyurethane formulation that delivers optimal recovery time, easy insertion and maximum all-day comfort
- Shape conforms to most ear canals for maximum sound attenuation



30
NRR

SoftStar™ 267-HPF210

- Innovative design in a traditional cylindrical shape
- The smoothest surface or "skin" of any cylindrical shaped ear plug
- PowerSoft™ Foam Technology features a proprietary polyurethane formulation that delivers optimal recovery time, easy insertion and maximum all-day comfort




23
NRR

V-Series™ Cap Mounted Ear Muffs 263-V1CM

- Extra soft memory foam ear cushions conform to surface and head shape
- Universal adapter with slot for visor carrier
- 360° rotation for standby and resting positions

STYLE NUMBER	NRR	USE	CORDING	MATERIAL	SIZE	SHAPE	COLOR	DETECTABLE	PAIR / PACK
Mega Flare™ Plus									
267-HPF910	33	Single	Uncorded	PowerSoft™ Polyurethane Foam	Standard	Contoured	Red	No	200 / Box
Mega Bullet™									
267-HPF210	32	Single	Uncorded	PowerSoft™ Polyurethane Foam	Standard	Bullet	Orange	No	200 / Box
SoftStar™									
267-HPF710	30	Single	Uncorded	PowerSoft™ Polyurethane Foam	Small	Cylinder	Red	No	200 / Box
STYLE NUMBER	NRR	TYPE	DIELECTRIC	SIZE ADJUSTMENT	COLOR				
Ear Muffs									
263-V1CM	23	Cap Mounted	No	Slide	Black/Green				

Respiratory and Face Protection



Dynamic® Standard N95 Disposable Respirators 270-RPD713N95

NIOSH approved for at least 95% filtration efficiency against non-oil based particulates

- Closed-cell nose cushion provides a secure and comfortable seal
- Designed to be comfortable and compatible with safety eyewear and hearing protection
- Curved nose clip follows the contours of the user's nose for a superior seal at the bridge of the nose which helps minimize the fogging of eyewear
- Woven strap ultrasonically welded to the wings of the respirator
- Latex-free without any common allergens



Dynamic® Standard N95 Disposable Respirators 270-RPD714N95

NIOSH approved for at least 95% filtration efficiency against non-oil based particulates

- Exhalation valve offers more comfort and easier breathing
- Closed-cell nose cushion provides a secure and comfortable seal
- Designed to be comfortable and compatible with safety eyewear and hearing protection
- Curved nose clip follows the contours of the user's nose for a superior seal at the bridge of the nose which helps minimize the fogging of eyewear
- Woven strap ultrasonically welded to the wings of the respirator
- Latex-free without any common allergens

Protective Clothing



Vests



POCKETS
4

302-MVGZ4P

ANSI 107
TYPE/CLASS
R2



POCKETS
10
ID POCKET

302-0505

ANSI 107
TYPE/CLASS
O1



POCKETS
9

302-0500M

ANSI 107
TYPE/CLASS
R2



POCKETS
10

302-0512

ANSI 107
TYPE/CLASS
R2

Rainwear



POCKETS
2

4148
Long Rain Coat



POCKETS
2

4035
Jacket & Bib Overalls



POCKETS
2

4033
Jacket, Bib & Hood

ANSI 107
TYPE/CLASS
R3



POCKETS
3

4530
Jacket, Bib & Hood

ANSI 107
TYPE/CLASS
R3



POCKETS
3

4530SE
Jacket, Bib & Hood

ANSI 107
TYPE/CLASS
R3

FR

Hi-Vis Vests

STYLE NUMBER	HI-VIS COLOR	ANSI 107	FABRIC	CLOSURE	POCKETS	REFLECTIVE	SIZE
301-0500M-BL	Blue	Type O Class 1	Mesh / Solid	Zipper	10	2" Two Tone	S - 5XL
301-0500-BK	Black						
302-0500M-LY	Hi-Vis Yellow	Type R Class 2	Mesh / Solid	Zipper	9	2" Two Tone	S - 5XL
302-0500M-OR	Hi-Vis Orange						
302-MVGZ4PLY	Hi-Vis Yellow	Type R Class 2	Mesh	Zipper	4	2" Silver Sewn-On	S - 5XL
302-MVGZ4POR	Hi-Vis Orange						
302-0512-LY	Hi-Vis Yellow	Type R Class 2	Mesh / Solid	Zipper	10	2" Two Tone	S - 5XL
302-0512-OR	Hi-Vis Orange						

Rainwear

STYLE NUMBER	COLOR	GARMENT	ANSI 107	FABRIC	CLOSURE	POCKETS	REFLECTIVE	SIZE
4033	Hi-Vis Yellow	Jacket, Bib & Hood	Type R Class 3	Polyester / PU	Snap	2	2" silver	S-6XL
4530	Hi-Vis Yellow	Jacket, Bib & Hood	Type R Class 3	Polyester / PU	Hook & loop	2	2" Silver Sewn On	S-5XL
4530SE	Hi-Vis Yellow	Jacket, Bib & Hood	Type R Class 3	Polyester / PU	Hook & loop	2	2" Silver FR tape	M-4XL

STYLE NUMBER	COLOR	GARMENT	THICKNESS	FABRIC	CLOSURE	POCKETS	SIZE	PROP 65
4035	Yellow	Jacket & Bib Overalls	0.35 mm	PVC / Polyester	Snap	2	S - 8XL	⚠️ C&R
4148	Yellow	Extended Jacket	0.35 mm	PVC	Snap	2	S - 5XL	⚠️ C&R

C = ⚠️ **WARNING:** Cancer - www.P65Warnings.ca.gov

R = ⚠️ **WARNING:** Reproductive Harm - www.P65Warnings.ca.gov

C&R = ⚠️ **WARNING:** Cancer and Reproductive Harm - www.P65Warnings.ca.gov

FR Clothing



305-2200
AR/FR Solid Vest



385-FRLS
Long Sleeve T-Shirt

Disposable Clothing



C3809
Coverall

ARC Rated Clothing

STYLE NUMBER	COLOR	ANSI 107	GARMENT	PPE CATEGORY	ARC RATING	MATERIAL	WEIGHT	POCKETS	STANDARD	CLOSURE	REFLECTIVE	SIZE
305-2200	Hi-Vis Yellow	Type R Class 2	Vest	2	8.9 cal/cm ²	Westex	6.2 oz Solid	0	ANSI 107, NFPA 70E, ASTM F1506	Hook and Loop	2" Silver	M - 5XL
385-FRSS-GR	Light Gray	-	Short Sleeve Shirt	2	11.8 cal/cm ²	100% Cotton	6.5oz	1	NFPA 70E, ASTM F1506	Pullover	-	M - 3XL
385-FRSS-NV	Navy	-	Short Sleeve Shirt	2	11.8 cal/cm ²	100% Cotton	6.5oz	1	NFPA 70E, ASTM F1506	Pullover	-	M - 3XL
385-FRLS-GR	Light Gray	-	Long Sleeve T-Shirt	2	11.8 cal/cm ²	100% Cotton	6.5oz	1	NFPA 70E, ASTM F1506	Pullover	-	M - 4XL
385-FRLS-NV	Navy	-	Long Sleeve T-Shirt	2	11.8 cal/cm ²	100% Cotton	6.5oz	1	NFPA 70E, ASTM F1506	Pullover	-	M - 4XL
385-FRLS-OR	Orange	-	Long Sleeve T-Shirt	2	11.8 cal/cm ²	100% Cotton	6.5oz	1	NFPA 70E, ASTM F1506	Pullover	-	M - 4XL

Vests to be worn over ARC rated FR clothing only

Posiwear® M3™ Disposable Clothing

STYLE NUMBER	GARMENT	CONFIGURATION	CLOSURE	MATERIAL	SEAM TYPE	COLOR	SIZE	PACKAGING
C3809	Coverall	Elastic Wrists, Hood and Boots	Zipper	Spunbond Polypropylene Double Layer / Melt Blown Polypropylene Triple Layer	Serged	White	M-5XL	25 / case

Foot Protection



16" PVC
Plain Toe Boots
380-800

- Energy-absorbing tread adds all-day comfort
- Less toe spring allows for more surface contact for improved channeling of water for better traction, slip resistance and comfort
- Tough outsole for good abrasion resistance
- Engineered to reduce slips and trips



16" PVC
Steel Toe Boots
382-810

- Energy-absorbing tread adds all-day comfort
- Less toe spring allows for more surface contact for improved channeling of water for better traction, slip resistance and comfort
- Tough outsole for good abrasion resistance
- Engineered to reduce slips and trips



16" PVC Full Safety Steel Toe
and Midsole Boot
383-820

- Flexible steel puncture resistant mid-sole reduces risks from sharp objects and meets ASTM F2413 PR
- Energy absorbing tread adds all-day comfort
- Less toe spring allows for more surface contact for improved channeling of water for better traction, slip resistance and comfort
- Engineered to reduce slips and trips



16" Polyblend
Steel Toe and Shank Boot
383-890

- Polyblend compound offers superior resistance to fats, oils and chemicals
- Steel shank provides improved support and ladder stability
- Lug outsole multi-tread design provides exceptional comfort and slip resistance especially in wet conditions
- Engineered to reduce slips and trips

STYLE	MATERIAL	COLOR	LENGTH	TOE TYPE	STEEL SHANK	STEEL MIDSOLE	TREAD PATTERN	ASTM F2413 COMPLIANT	CSA COMPLIANT	SIZES
383-820	PVC	Black	16"	Steel	No	Yes	Cleated	Yes	Yes	6-14
382-810	PVC	Black	16"	Steel	No	No	Cleated	Yes	No	6-14
380-800	PVC	Black	16"	Plain	No	No	Cleated	No	No	6-14
383-890	Polyblend	Black / Gray	16"	Steel	Yes	No	Power-Lug	Yes	No	6-14

Heat Stress



EZ-COOL® MAX COOLING TOWEL
396-EZ900

- Microfiber cooling towel - container with clip included
- Naturally absorbs sweat and provides UV protection



EZ-COOL® PVA COOLING TOWEL
396-602

- Advanced Polyvinyl Alcohol (PVA) material absorbs water and sweat efficiently and remains active for hours



EZ-COOL® TANK TOP
390-EZ150

- Can be worn over a breathable shirt, but designed to be worn against the skin
- 1-2 minute activation time provides 5-10 hours of cooling relief per activation
- Built-in ventilation on sides and back



EZ-COOL® MAX COMBINATION PHASE CHANGE & EVAPORATIVE COOLING VEST
390-EZHYPC

- Long-lasting cooling
- Lightweight active fit
- Water repellent liner



CLIMA-BAND™
393-200 / 395-250FR

- Seamless stretch construction
- Quick-dry, sweat absorbing fabric
- Anti-odor technology
- Resists UV rays
- Blocks wind, sun & dust



HI-VISIBILITY RANGER HAT
350-RANGER

- Hi-visibility ranger style hat with silver reflective tape
- Full brim lightweight hat with mesh crown



REPLACEMENT COOLING PACKS
390-HY099

Protection In Any Climate

EZ-COOL® Max Cooling Towel					
STYLE	COOLING TYPE	ACTIVATION TIME	OUTER FABRIC	COLOR	SIZE
396-EZ900-NV	Evaporative Cooling	30 seconds	Polyester Hollow Fiber Blend / Nylon	Navy	12" X 36"
396-EZ900-LY	Evaporative Cooling	30 seconds	Polyester Hollow Fiber Blend / Nylon	Hi-Vis Lime	12" X 36"
396-EZ900-PK	Evaporative Cooling	30 seconds	Polyester Hollow Fiber Blend / Nylon	Pink	12" X 36"
396-EZ900-GC	Evaporative Cooling	30 seconds	Polyester Hollow Fiber Blend / Nylon	Digital Camo	12" X 36"
396-EZ900-NV-BULK	Evaporative Cooling	30 seconds	Polyester Hollow Fiber Blend / Nylon	Navy	12" X 36"
396-EZ900-LY-BULK	Evaporative Cooling	30 seconds	Polyester Hollow Fiber Blend / Nylon	Hi-Vis Lime	12" X 36"
EZ-COOL® PVA Cooling Towel					
STYLE	COOLING TYPE	ACTIVATION TIME	OUTER FABRIC	COLOR	SIZE
396-602-B	Evaporative Cooling	30 seconds	PVA Cooling Towel	Blue	13" x 31"
396-602-L	Evaporative Cooling	30 seconds	PVA Cooling Towel	Hi-Vis Lime	13" x 31"
396-602-P	Evaporative Cooling	30 seconds	PVA Cooling Towel	Pink	13" x 31"
396-602-B-BULK	Evaporative Cooling	30 seconds	PVA Cooling Towel	Blue	13" x 31"

Evaporative Cooling Vests								
STYLE	COOLING TYPE	ACTIVATION TIME	OUTER FABRIC	INNER FABRIC	WEIGHT	CLOSURE	COLOR	SIZE
390-EZ150	Evaporative	1-2 Minutes	Polyester / Spandex	HyperKewl™ Plus / Nylon	0.75 lbs	Zipper	Black with Blue Trim	S-3X
Combination Phase Change & Evaporative Cooling Vest								
390-EZHYPC	Phase Change & Evaporative	45 minutes	Nylon	HyperKewl™ Plus Nylon	-	Zipper	Red with Black	M-3XL
CLIMA-BAND™								
STYLE	COOLING TYPE	OUTER FABRIC	MATERIAL TYPE	CLOSURE	COLOR	SIZE		
393-200-CWB	Absorptive	Nylon / Polyester	-	-	Cowboy Blue	10" x 20"		
393-200-YEL	Absorptive	Nylon / Polyester	-	-	Hi-Vis Yellow	10" x 20"		
395-250FR-B	Absorptive	Meta-Aramid/Lenzing FR	-	-	Black	10" x 20"		
Hi-Visibility Ranger Hat								
STYLE	COOLING TYPE	ACTIVATION TIME	OUTER FABRIC	INNER FABRIC	CLOSURE	COLOR	SIZE	
350-RANGER	Shading	ANSI Compliant Polyester Hi-Vis with Reflective Tape	Mesh / Solid	Drawstring	Hi-Vis Yellow	OS		
Replacement Cooling Packs								
STYLE	COOLING TYPE	ACTIVATION TIME	OUTER FABRIC	INNER FABRIC				
390-HY099	Phase Change Cooling	45 Minutes	Polyurethane	Alkane Blend				



Warning Beacons

Eflare® Safety & Emergency Beacons

STYLE NUMBER	BEACON COLOR	LIGHT INTENSITY	OPERATION	BATTERIES	HEIGHT
939-AT290-A	Amber	8 LED	Flash or Steady-On 1-Color	Four "AA" Alkaline	8"
939-AT290-W	White	8 LED	Flash or Steady-On 1-Color	Four "AA" Alkaline	8"
939-AT293-A/W	Amber & White	4 + 4 LED	Dual Flash 2-Color	Four "AA" Alkaline	8"
939-AT293-R/B	Red & Blue	4 + 4 LED	Dual Flash 2-Color	Four "AA" Alkaline	8"

* Batteries not included





PROTECTIVE INDUSTRIAL PRODUCTS, INC.

518-861-0133 | 800-262-5755

sales@pipusa.com | www.pipusa.com