PROTECTIVE INDUSTRIAL PRODUCTS

HEAD PROTECTION SOLUTIONS

www.pipusa.com

QUICK REFERENCE GUIDE

JSP®

PIP DYNAMIC

Innovative head protection

Trusted head protection

PROTECTIVE INDUSTRIAL PRODUCTS

SECOND TO NONE IN HEAD PROTECTION

Manufacturing capabilities

STATE-OF-THE-ART ROBOTIC ASSEMBLY FOR MANUFACTURING PRECISION AND COST EFFECTIVENESS

Dynamic® products are manufactured in our modern facility that has the capacity to produce more than 10,000 hard hats each day.

PIP® is a leading manufacturer of hard hats in North America for a variety of customers.



Innovation

By partnering with JSP®, a global leader in head protection technology, we deliver the pinnacle of cutting-edge hard hat styles.

- The Vista® Series features an integrated face shield and eyewear
- The JSP® Evolution® 6151 and EVO® 6151 Ascend® feature an EXTRA PROTECTION ZONE providing the wearer with approximately 10% more coverage on both the sides and the back of the hard hat when compared to a standard hard hat design.

Quality

As a leading manufacturer, we engineer excellence from the ground up. Superior raw materials, robotic manufacturing and high-quality standards ensure we exceed industry norms.

- Dynamic® and PIP® hard hats meet ANSI Z89.1-2014 and/or CSA Z94.1-15 North American standards
- JSP® hard hats and safety helmets meet globally recognized ANSI and EN standards

Choice

PIP® offers an extensive line of safety helmets and hard hats that protect workers from falling objects in multiple industries. From heavy-duty mining to residential construction, PIP® has the right hard hat for the job with more than 30 styles to choose from. PIP® is second to none in head protection.

Type

- **SAFETY HELMETS** include a chin strap and a foam inner liner which is designed to attenuate impact energy from the top and side.
- **TRADITIONAL TYPE I HARD HATS** rely on a suspension system to attenuate impact energy from the top
- **TYPE II HARD HATS** incorporate a foam liner for ANSI rated top and side impact attenuation

SAFETY HELMETS

Work At Heights

CONSTRUCTION, INDUSTRIAL & UTILITIES

WIND ENERGY > SCAFFOLDING > TELECOM > UTILITIES

PREMIUM ALL-AROUND PROTECTION

PIP® Traverse™
280-HP1491RM

- Super lightweight ABS shell
- MIPS® - Multi-Direction Impact Protection
- Foam lateral impact protection
- ANSI Type II; Class E or C
  Tested to mandatory EN 12492 shock and penetration requirements

COLORS AVAILABLE

White, Yellow, Orange, Gray, Black, Hi-Vis Yellow, Red

Mips

MULTI-DIRECTIONAL IMPACT PROTECTION

Accessories can be found in the Traverse™ Safety Helmet Brochure

JSP® MK8 Evolution® Linesman
280-AHS240

- High strength outer shell with chin strap
- Premium lateral impact protection
- ANSI Type II; Class E or C

COLORS AVAILABLE ** Class C color available*

White*, Yellow, Blue

PREMIUM COMFORT + EYE & FACE PROTECTION

JSP® EVO®VISTAlens™ Ascend™
280-EVLV-CH

- Fully adjustable 4-point chin strap
- Adjustable integrated face protection
- ANSI Type I; Class C
- Meets all Clauses 4.2 of EN12492

COLORS AVAILABLE

White | Black | White/Smoke

JSP® EVO®VISTAshield™ Ascend™
280-EVSV-CH

- Fully adjustable 4-point chin strap
- Adjustable integrated face protection
- ANSI Type I; Class C
- Meets all Clauses 4.2 of EN12492

COLORS AVAILABLE

White | Black | White/Smoke

JSP® EVO® Ascend™
280-EVSN-CH

- Fully adjustable 4-point chin strap
- Adjustable integrated face protection
- ANSI Type I; Class C
- Meets all Clauses 4.2 of EN12492

COLORS AVAILABLE

White/Smoke

ALL-AROUND PROTECTION

Dynamic® Rocky™
280-HP142

- Super lightweight ABS/Polycarbonate shell
- Foam lateral impact protection
- ANSI/CSA Type II; Class E

COLORS AVAILABLE

White | Yellow | Orange | Green | Blue | Gray | Red | Dark Gray | Black | Light Blue

Dynamic® Rocky™ with Mips® Technology
280-HP142RM

- Super lightweight ABS/ Polycarbonate shell
- MIPS® - Multi-Direction Impact Protection
- Foam lateral impact protection
- ANSI/CSA Type II; Class E

COLORS AVAILABLE

White | Yellow | Black

LIGHT, VERSATILE & COMFORTABLE

JSP® EVO® 6151 Ascend™

280-EV6151-CH

- Standard brim shell with 4-point chin strap
- Shock absorbing EPS liner
- ANSI Type I; Class E or C
- Meets all Clauses 4.2 of EN12492

COLORS AVAILABLE

White | Yellow | Black

JSP® EVO® 6151 Ascend™

280-EV6151S-CH

- Short brim shell with 4-point chin strap
- Shock absorbing EPS liner
- ANSI Type I; Class E or C
- Meets all Clauses 4.2 of EN12492

COLORS AVAILABLE

White | Yellow | Black | Gray

JSP® EVO® 6161 Ascend™

280-EV6161-CH

- Full brim shell with 4-point chin strap
- Shock absorbing EPS liner
- ANSI Type I; Class E or C
- Meets all Clauses 4.2 of EN12492

COLORS AVAILABLE

White | Yellow | Black | Gray | Red

⚠ **WARNING:** Reproductive Harm - www.P65Warnings.ca.gov

HARD HATS

Heavy-Duty

INDUSTRIAL, CONSTRUCTION & UTILITIES

MINING > TUNNELING > DEMOLITION > UTILITIES > METAL WORK

PREMIUM ALL-AROUND PROTECTION

JSP® MK8 Evolution®
280-AHS150

- High strength outer shell
- Premium lateral impact protection
- ANSI Type II; Class E or C

COLORS AVAILABLE ** Class C color available*

White* | Blue

WITHSTANDS HEAT

ELEVATED HEAT APPLICATIONS

Dynamic® Wolfjaw™
280-HP1481R

- Lightweight fiberglass shell
- Radiant heat protection up to 350°F
- Wheel ratchet size adjustment
- ANSI Type I; Class G

COLORS AVAILABLE

White | Black | Yellow | Natural

EXTREME PERFORMANCE

ELEVATED HEAT APPLICATIONS

Dynamic® Vesuvio™
280-HP851

- Ambient heat protection up to 400°F
- Wheel ratchet size adjustment
- ANSI/CSA Type I; Class E

COLORS AVAILABLE

Gray | Black | Dark Gray | Red | Steel Blue

PROVEN PERFORMANCE

Dynamic® Wolfjaw™ Carbon
280-HP1471

- Lightweight carbon fiber shell
- 8-point suspension system
- Wheel ratchet size adjustment
- ANSI Type I; Class C

COLORS AVAILABLE

Matte Black | Glossy Black

ALL-AROUND PROTECTION

Dynamic® Mont-Blanc™
280-HP542

- Lightweight HDPE shell
- Foam lateral impact protection
- ANSI/CSA Type II; Class E

COLORS AVAILABLE

White, Yellow, Orange, Green, Blue, Red, Dark Gray, Beige, Hi-Vis Orange, Hi-Vis Yellow, Light Blue, Navy, Royal Blue, Sky Blue, Gray, Hi-Vis Red

Dynamic® Kilimanjaro™
280-HP642

- Sleek and attractive HDPE shell
- Wheel ratchet size adjustment
- 4-point suspension system
- ANSI/CSA Type II; Class E

COLORS AVAILABLE

White, Yellow, Orange, Dark Green, Black, Red, Hi-Vis Orange, Hi-Vis Yellow, Navy, Royal Blue, Sky Blue, Gray

PROVEN PERFORMANCE

Dynamic® Stromboli™
280-HP842

- ABS/Polycarbonate shell with matte finish
- Wheel ratchet adjustment
- ANSI/CSA Type II; Class E

COLORS AVAILABLE

White, Yellow, Gray, Black, Red, Steel Blue, Lime Green

CAP STYLE
HARD HATS

General

CONSTRUCTION & INDUSTRIAL

BUILDING CONSTRUCTION > ROADWORK
EXCAVATION > GENERAL INDUSTRIAL

NEXT GENERATION HARD HATS

JSP® EVO® VISTAlens™
280-EVLV

- Lightweight vented ABS shell
- Adjustable integrated eye protection
- ANSI Type I; Class C

COLORS AVAILABLE

JSP® EVO® VISTAlens™
280-EVLN

- Lightweight ABS shell
- Adjustable integrated eye protection
- ANSI Type I; Class G

COLORS AVAILABLE

JSP® EVO® VISTAshield™
280-EVSV

- Lightweight vented ABS shell
- Adjustable integrated face protection
- ANSI Type I; Class C

COLORS AVAILABLE

JSP® EVO® VISTAshield™
280-EVSN

- Lightweight ABS shell
- Adjustable integrated face protection
- ANSI Type I; Class G

COLORS AVAILABLE

EXTRA PROTECTION COVERAGE

JSP® Evolution® Deluxe 6151
280-EV6151

- 10% extra protection zone - Standard brim
- Wheel ratchet size adjustment
- ANSI Type I; Class E or C

COLORS AVAILABLE ** Class C color available*

White* | Black | Yellow* | Green | Pink
Blue* | Red | Bright Orange* | Lime Yellow* | Gray*

⚠ **WARNING:** Reproductive Harm - www.P65Warnings.ca.gov

JSP® Evolution® Deluxe 6151 Short Brim
280-EV6151S

- 10% extra protection zone - Short brim
- Wheel ratchet size adjustment
- ANSI Type I; Class E or C

COLORS AVAILABLE ** Class E color available*

White* | Yellow* | Blue | Red

⚠ **WARNING:** Reproductive Harm - www.P65Warnings.ca.gov

EXTRA PROTECTION ZONE

Approximately 10% extra protection on the sides and the back of the hard hat

EXTRA PROTECTION COVERAGE IN MINING APPLICATIONS

JSP® Evolution® Deluxe 6151 Mining Hard Hat
280-EV6151M

- Mining lamp bracket and cable loop
- 10% extra protection zone - Standard brim
- Wheel ratchet size adjustment
- ANSI Type I; Class C

COLORS AVAILABLE

White | Yellow | Red | Blue | Green | Bright Orange | Lime Yellow

⚠ **WARNING:** Reproductive Harm - www.P65Warnings.ca.gov

JSP® Evolution® Deluxe 6151 Mining Hard Hat with Reflective Kit
280-EV6151MCR2

- Mining lamp bracket and cable loop
- CR2 reflective kit
- 10% extra protection zone - Standard brim
- Wheel ratchet size adjustment
- ANSI Type I; Class C

COLORS AVAILABLE

White | Yellow | Red | Blue | Green | Bright Orange | Lime Yellow

⚠ **WARNING:** Reproductive Harm - www.P65Warnings.ca.gov

ENGINEERED PERFORMANCE AVAILABLE IN THREE STYLES

Dynamic® Whistler™
280-HP241

- Classic cap styling
- Wheel ratchet or pin lock size adjustment
- ANSI/CSA Type I; Class E or C

COLORS AVAILABLE

White, Yellow, Orange, Dark Green, Navy, Sky Blue, Gray, Red, Dark Gray, Hi-Vis Orange, Black, Royal Blue, Lime Yellow

Dynamic® Dom™
280-HP341

- Smooth dome shape
- Wheel ratchet or swing ratchet adjustment
- ANSI/CSA Type I; Class E

COLORS AVAILABLE

White, Yellow, Orange, Dark Green, Sky Blue, Gray, Black, Red, Royal Blue, Steel Blue, Navy Blue

Dynamic® Stromboli™
280-HP841

- ABS/Polycarbonate shell with matte finish
- Wheel ratchet or swing ratchet adjustment
- ANSI/CSA Type I or II; Class E

COLORS AVAILABLE

White, Yellow, Orange, Gray, Black, Red, Royal Blue, Steel Blue, Forest Green, Lime

FULL BRIM
HARD HATS

General

CONSTRUCTION & INDUSTRIAL

> ADDED PROTECTION FROM THE ELEMENTS

PREMIUM DESIGN

JSP® Evolution® Deluxe 6161
280-EV6161

- Popular style for outdoor work
- Wheel ratchet size adjustment
- 6-point suspension system
- ANSI Type I; Class E or C

COLORS AVAILABLE

White, Yellow, Green, Red, Lime Yellow, Bright Orange, Blue, Gray

⚠ **WARNING:** Reproductive Harm - www.P65Warnings.ca.gov

ENGINEERED PERFORMANCE

Dynamic® Kilimanjaro™
280-HP641

- Sleek and attractive HDPE shell
- Wheel ratchet or pin-lock size adjustment
- 4-point suspension system
- ANSI/CSA Type I; Class E or C

COLORS AVAILABLE

White, Yellow, Orange, Dark Green, Sky Blue, Navy, Gray, Red, Dark Gray, Royal Blue, Hi-Vis Yellow, Hi-Vis Orange

PREMIUM DESIGN FOR MINING APPLICATIONS

JSP® Evolution® Deluxe 6161 Mining Hard Hat
280-EV6161M

- Mining lamp bracket and cable loop
- CR2 reflective kit
- Wheel ratchet size adjustment
- ANSI Type I; Class C

COLORS AVAILABLE

White, Yellow, Green, Red, Lime Yellow, Bright Orange, Blue

⚠ **WARNING:** Reproductive Harm - www.P65Warnings.ca.gov

JSP® Evolution® Deluxe 6161 Mining Hard Hat with Reflective Kit
280-EV6161MCR2

- Mining lamp bracket and cable loop
- CR2 reflective kit
- Wheel ratchet size adjustment
- ANSI Type I; Class E

COLORS AVAILABLE

White, Yellow, Green, Red, Lime Yellow, Bright Orange, Blue, Gray

⚠ **WARNING:** Reproductive Harm - www.P65Warnings.ca.gov

JSP®

HARD HAT ACCESSORIES



281-CR2 *Cap Style*



281-CR2FB *Full Brim*

CR2 Reflective Kits

- Upon application the hard hat will have 360° reflective coverage

250-EVS

EVOSpec™ Integrated Eyewear

- Retracts into helmet shell when not in use

281-CL-SET

Lamp & Goggle Clip Set

- Contains 2 side clips and 2 rear clips

281-CS-2PT *2-Point*

281-CS-4PT *4 Point*

Chin Straps

- Standard 2-Point and adjustable 4-Point elastic chin straps are compatible with Evolution® 6100 series hard hats and EVO®Vista™ style safety helmets.

Not compatible with Ascend™ series safety helmets

281-SSE-CAP *Cap Style*

281-SSE-FB *Full Brim*

Sun Shade Extensions

- Extends the brim all the way around to help protect the wearer's ears and neck from the sun's rays

251-01-6230-JSP

Aluminum Face Shield Bracket

- Compatible with JSP® Evolution® 6151 cap style helmets only

251-01-6225

Surefit™ Hard Hat Adapter

- Meets ANSI Z87+ requirements when worn with safety glasses or goggles

251-01-6201 *Clear Polycarbonate*

Surefit™ Safety Visor

- Clear polycarbonate

251-01-6211 *Clear Acetate*

Surefit™ Safety Visor

- Clear acetate

262-AEK010-HV
InterGPV™ Cap Mounted
NRR 20

262-AEK020-HV
InterEXV™ Cap Mounted
NRR 24

Hi-Vis Cap Mounted Ear Muffs

- Twin-point-mounted ear cups for even pressure distribution

262-AEJ030-50
NRR 21

SureFit™ Contour Cap Mounted Ear Muffs

- Easy to attach and detach from helmet

STYLE NUMBER	DESCRIPTION	PROP 65
281-CR2	Reflective Kits Cap	
281-CR2FB	Reflective Kits Full Brim	
280-EVS	Integrated Eyewear	⚠ R
251-01-6225	Faceshield Bracket- Cap Style Surefit	
251-01-6201	JSP Visor Surefit PC	⚠ R
251-01-6211	JSP Visor Surefit Acteate	⚠ R
251-01-6230-JSP	Faceshield Bracket Aluminum Cap	
262-AEJ030-50	Cap Mount Ear Muff	
262-AEK010-HV	Cap Mount Ear Muff	
262-AEK020-HV	Cap Mount Ear Muff	
281-CS-2PT	Chin Strap 2 pt	
281-CS-4PT	Chin Strap 4 pt	
281-CL-SET	Lamp/Goggle Clip	
281-SSE-CAP	Sunshade Extension Cap	
281-SSE-FB	Sunshade Extension Full Brim	

R = ⚠ **WARNING:** Reproductive Harm - www.P65Warnings.ca.gov

DYNAMIC®
HARD HAT ACCESSORIES

251-EPB103

Rocky™
Dielectric Hard Hat Bracket
- Designed specifically for the short brim shell design of the Dynamic® Rocky™ safety helmet
- Face shield mounting pattern is compatible with most safety visors

280-HPSLH

Rocky™ Lamp/Goggle Clip
- 4 clips per pack
- Holds the lamp strap in place
- Compatible with Dynamic® Rocky™ and most styles of hard hats

280-HP241C
2-point, elastic with plastic hooks

280-HP542C
4-point, elastic with plastic hooks

Chin Straps
- Made to hold the hard hat on the head of the user
- 10 per pack
- Adjustable

SCAN HERE
for 4-point chin strap installation instructions

280-HP1X4

Dyna-Brite™ Reflective Strips
- Available in white, yellow and orange
- 16 strips per pack

UNIVERSAL
HARD HAT ACCESSORIES

251-01-5271

251-01-5270

251-01-5230

251-01-5225

251-EPB102

Face Shield Brackets

- Enable the attachment of a safety visor to a hard hat

STYLE NUMBER	COMPATIBLE WITH	HOLE PATTERN	MATERIAL	STANDARDS
251-01-5271	Cap Style	Universal	Aluminum	ANSI Z87.1-2015
251-01-5270	Full Brim	Universal	Aluminum	ANSI Z87.1-2015
251-01-5230	Cap Style	Universal	Plastic	ANSI Z87.1-2015
251-01-5225	Cap Style	Universal	Plastic	ANSI Z87.1+ CSA Z94.3
251-EPB102	Full Brim	Universal	Plastic, Dielectric	ANSI Z87.1-2015



Face Shields

- **PETG** Ideal for general sanding, light dust and debris and liquid splash applications.
- **POLYCARBONATE** Ideal for grinding and high impact applications. Outperforms PETG in a wider range of temperatures.
- **MOLDED POLYCARBONATE** Provides enhanced options and better peripheral vision. Aspherical design allows for more comfortable movement.
- **STEEL WIRE MESH** Product of choice for large flying particle protection. Popular in forestry and lumber applications for scratch proof quality, providing excellent visibility.

STYLE NUMBER	MATERIAL	LENS	THICKNESS	SIZE	BINDING	SHAPE	STANDARDS	PROP 65
251-01-5211	PETG	☐ Clear	0.040"	8" x 15.5"	None	Flat	ANSI Z87	
251-01-7214	PETG	☐ Clear	0.040"	8" x 15.5"	Aluminum	Curved	ANSI Z87	
251-01-5201	Polycarbonate	☐ Clear	0.040"	8" x 15.5"	None	Flat	ANSI Z87+	⚠ *R*
251-01-5210	Polycarbonate with Chin Cup	☐ Clear	0.040"				ANSI Z87+	⚠ *R*
251-01-7206	Polycarbonate	☐ Clear	0.060"	8" x 15.5"	None	Flat	ANSI Z87+	⚠ *R*
251-01-7204	Polycarbonate	☐ Clear	0.040"	8" x 15.5"	Aluminum	Curved	ANSI Z87+	⚠ *R*
251-01-7301	Molded Polycarbonate	☐ Clear	0.078"	8" x 15"	None	Cylindrical	ANSI Z87+	⚠ *R*
251-01-7401	Molded Polycarbonate	☐ Clear	0.078"	8" x 15"	None	Aspherical	ANSI Z87+	⚠ *R*
251-01-7311	Molded Polycarbonate	■ Medium Green *23% VLT*	0.078"	8" x 15"	None	Cylindrical	ANSI Z87+	⚠ *R*
251-01-7312	Molded Polycarbonate	■ Dark Green *16% VLT*	0.078"	8" x 15"	None	Cylindrical	ANSI Z87+	⚠ *R*
251-01-7313	Molded Polycarbonate	■ IR FIlter 3.0	0.078"	8" x 15"	None	Cylindrical	ANSI Z87+	⚠ *R*
251-01-7315	Molded Polycarbonate	■ IR FIlter 5.0	0.078"	8" x 15"	None	Cylindrical	ANSI Z87+	⚠ *R*
251-01-7701	Steel Wire Mesh	-----	-----	8" x 15.5"	Aluminum	Cylindrical	ANSI Z87	⚠ *R*

R = ⚠ **WARNING:** Reproductive Harm - www.P65Warnings.ca.gov

BUMP CAPS

Prevent Bumps & Scrapes

USE IN WORK SPACES WHERE HARD HATS ARE NOT MANDATED

ASSEMBLY LINE > PACKAGE HANDLING > MAINTENANCE > AVIATION > AUTOMOTIVE

JSP® HardCap A1+™ Bump Cap

- Sleek low profile baseball cap design
- HDPE liner provides all around protection
- Unique size adjuster provides a quick, secure fit

Regular Brim - 2.75"
282-ABR170

COLORS AVAILABLE

Gray/Red, Black, Camouflage, Navy, Navy/Yellow, Hi-Vis Orange, Black/Hi-Vis Orange, Black/Gray, Hi-Vis Lime Yellow

Short Brim - 2"
282-ABS150

COLORS AVAILABLE

Gray/Red, Black, Black/Gray, Navy, Black/Hi-Vis Orange

Micro Brim - 1"
282-ABM130

COLORS AVAILABLE

Black, Black/Gray, Navy

JSP® HardCap Aerolite™ Bump Cap

- Lightweight and cool, weighs less than 5 oz.
- Sleek low profile baseball cap design
- HDPE liner provides all around protection
- Antimicrobial Polygiene® coated fabric stays odor free

Short Brim - 2"
282-AES150

Micro Brim - 1"
282-AEM130

Brimless
282-AEN000

COLORS AVAILABLE

Black, Navy

Dynamic® Bump Cap
280-HP940

- Lightweight ventilated HDPE shell
- 4-point pin lock suspension
- Popular in food processing, manufacturing and maintenance

COLORS AVAILABLE

White, Yellow, Orange, Red, Sky Blue, Beige, Dark Gray, Gold, Hi-Vis Yellow, Purple, Steel Blue, Black, Navy, Powder Blue, Dark Green, Hi-Vis Orange, Gray

Dynamic® Grand Slam II
282-HP946

- Baseball style bump cap
- Vented, lightweight design
- Foam padding

COLORS AVAILABLE

Black, Gray, Navy, Red

JSP® HardCap Ranger Bump Cap
282-AFB375

- Shades the sun's UV rays
- 3" wide full brim

COLORS AVAILABLE

Navy, Hi-Vis Lime Yellow

PRODUCT FAMILY	PART NUMBER	STANDARDS										SHELL						SUSPENSION									OPTIONS				
		ANSI Z89.1 TYPE I	ANSI Z89.1 TYPE II	CSA Z94.1-15 TYPE I	CSA Z94.1-15 TYPE II	EN14052	EN12492	EN397	CLASS E *Non-vented*	CLASS C *Vented*	CLASS G	ABS	ABS/POLYCARBONATE	HDPE	FIBERGLASS RESIN	NYLON RESIN	CARBON FIBER	PRE-INSTALLED	DEPTH ADJUSTMENT	HEIGHT ADJUSTMENT	8 POINT SUSPENSION	6 POINT SUSPENSION	4 POINT SUSPENSION	WHEEL RATCHET	SWING WHEEL RATCHET	PIN LOCK	STANDARD BRIM	SHORT BRIM	FULL BRIM	INTEGRATED EYE PROTECTION INCLUDED	EVOSPEC COMPATIABLE
SAFETY HELMETS - WORK AT HEIGHTS																															
JSP® EVO® 6151 Ascend™	280-EV6151-CH	●					●		●	●				●				●	●	●		●		●			●				●
JSP® EVO® 6151 Ascend™	280-EV6151S-CH	●					●		●	●				●				●	●	●		●		●				●			●
JSP® EVO® 6161 Ascend™	280-EV6161-CH	●					●		●	●				●				●	●	●		●		●					●		●
JSP® EVO®VISTAlens™ Ascend™	280-EVLV-CH	●					●		●	●		●						●	●	●		●		●				●		●	
JSP® EVO®VISTAshield™ Ascend™	280-EVSV-CH	●					●		●	●		●						●	●	●		●		●				●			●
JSP® EVO® Ascend™	280-EVSN-CH	●					●			●		●						●	●	●		●		●				●		●	
JSP® MK8 Evolution® Linesman	280-AHS240		●			●		●	●	●				●				●	●	●		●		●			●				
Dynamic® Rocky™	280-HP142		●		●				●				●					●		●			●	●				●			
Dynamic® Rocky™ - Mips®	280-HP142RM		●		●				●				●					●		●			●	●				●			
PIP® Traverse™	280-HP1491RM		●				●		●	●			●					●		●		●		●				●			
CAP STYLE HARD HATS - HEAVY DUTY																															
JSP® MK8 Evolution® Cap Style	280-AHS150		●			●		●	●	●				●				●	●	●		●		●			●				
Dynamic® Mont-Blanc™	280-HP542		●		●				●					●				●		●			●	●			●				
HARD HATS - ELEVATED HEAT AND WELDING																															
Dynamic® Vesuvio™	280-HP851	●							●							●		●		●			●	●			●				
Dynamic® Stromboli™	280-HP842		●		●				●				●					●		●			●	●			●				
Dynamic® Wolfjaw™	280-HP1481	●									●				●			●		●	●			●					●		
FULL BRIM HARD HATS - HEAVY DUTY																															
Dynamic® Kilimanjaro™	280-HP642		●		●				●	●				●				●		●			●	●					●		
Dynamic® Wolfjaw™ Carbon	280-HP1741	●								●							●	●		●	●			●					●		
CAP STYLE HARD HATS - GENERAL																															
JSP® EVO®VISTAlens™	280-EVLV	●				●				●		●						●	●	●		●		●			●			●	
JSP® EVO®VISTAshield™	280-EVSV	●				●				●		●						●	●	●		●		●			●			●	
JSP® EVO®VISTAlens™	280-EVLN	●				●				●		●						●	●	●		●		●			●			●	
JSP® EVO®VISTAshield™	280-EVSN	●				●				●		●						●	●	●		●		●			●			●	
JSP® Evolution® Deluxe 6151	280-EV6151	●							●	●				●				●	●	●		●		●			●				●
JSP® Evolution® Deluxe 6151	280-EV6151S	●							●	●				●				●	●	●		●		●				●			●
JSP® Evolution® Deluxe 6151	280-EV6151M	●								●				●				●	●	●		●		●			●				●
JSP® Evolution® Deluxe 6151	280-EV6151MCR2	●								●				●				●	●	●		●		●			●				●
Dynamic® Whistler™	280-HP241	●		●				●	●	●				●				●		●			●	●		●	●				
Dynamic® Dom™	280-HP341	●		●					●					●				●		●			●	●	●		●				
Dynamic® Stromboli™	280-HP841	●		●					●				●					●		●			●	●	●		●				
FULL BRIM HARD HATS - GENERAL																															
JSP® Evolution® Deluxe 6161	280-EV6161	●						●	●	●				●				●	●	●		●		●					●		●
JSP® Evolution® Deluxe 6161	280-EV6161M	●						●	●	●				●				●	●	●		●		●					●		●
JSP® Evolution® Deluxe 6161	280-EV6161MCR2	●						●	●	●				●				●	●	●		●		●					●		●
Dynamic® Kilimanjaro™	280-HP641	●		●					●	●				●				●		●			●	●					●		

SCAN HERE
for hard hat
color options

PROTECTIVE INDUSTRIAL PRODUCTS

The best logo service

HIGH QUALITY, FAST TURNAROUND & A DEDICATED TEAM

A SMOOTH PROCESS FROM START TO FINISH

High-quality logo imprinting can be applied on up to four locations on the hard hat using a single color or multiple colors. Quick turnaround time allows for fast delivery to the customer. Dedicated team for all logo requests to ensure all customer requests are accurately filled.

PROTECTIVE INDUSTRIAL PRODUCTS, INC.
518-861-0133 | 800-262-5755
sales@pipusa.com | www.pipusa.com

3/2023