




Science.
Applied to Life.™



Value and versatility.

Who says you can't have the best of both worlds?

Experience the power of
3M Precision-Shaped Grain



3M™ Cut & Grind Wheels are fast-cutting and competitively priced, helping you stay on time and on budget.

Part of our Advanced Series of abrasives, 3M Cut & Grind Wheels harness the power of 3M Precision-Shaped Grain at a price that's affordable for everyday use. These versatile wheels are designed for use as both depressed center grinding wheels and cut-off wheels, so you can power through a wide range of tough jobs – and get more work done for your dollar.



Less chatter. More action.

3M™ Cut & Grind Wheels are engineered to help you get more work done for your dollar. They blast through tough jobs with a fast, smooth cut ... with less pressure ... and with less chatter on back gouging and root pass grinding. 3M Precision-Shaped Grain technology slices through metal with super-sharp, microreplicated points for a cooler, faster and longer lasting cut than conventional abrasive grain. Plus, these long-lasting wheels need fewer changes, so you can power through the daily grind that much faster.

3M Cut & Grind Wheels can function as both a depressed center grinding wheel and a cut-off wheel, for everyday high performance in a wide range of applications:

- Cutting
- Grinding
- Back gouging
- Root pass grinding
- Notching
- Beveling
- Filet grinding

- **Cuts fast:** Stays sharp longer than conventional grinding wheels
- **Long life:** Even in a fast-cutting wheel
- **Versatile:** Ideal for cutting, grinding and gouging on mild and stainless steel
- **Grinds with less pressure:** Can help reduce operator fatigue

See why 3M Cut & Grind Wheels are a cut above the competition!

- **3M™ Cut & Grind Wheel shows 47% less wheel wear than Norton™ Blue Fire Depressed Center Wheel, 4.5D, 1/8T, 7/8"**
- **Consistent, high-quality performance**
- **All at a price you can't say no to!**

*Internal Testing - wheels were tested robotically for 10 min. on 1018 carbon steel.

3M™ Cut & Grind Wheel (638060-)	Type	Diameter x Center Hole (inches)	Maximum RPM	Maximum Speed (m/s)	Discs Per Box/Case
06459-7	T1	4 × 1/8 × 3/8	15,300	80	10/20
06460-3	T27	4 × 1/8 × 3/8	15,300	80	10/20
06461-0	T27	4 × 1/8 × 3/8	15,300	80	10/20
06462-7	T27	4 1/2 × 1/8 × 7/8	13,300	80	10/20
06463-4	T27	5 × 1/8 × 7/8	12,500	80	10/20
06469-6	T27	6 × 1/8 × 7/8	10,200	80	10/20
06470-2	T27	7 × 1/8 × 7/8	8,500	80	10/20
06471-9	T27	9 × 1/8 × 7/8	6,650	80	10/20

Quick Change Attachment

06464-1	T27	4 1/2 × 1/8 × 5/8-11	13,300	80	10/20
06465-8	T27	5 × 1/8 × 5/8-11	12,500	80	10/20
06466-5	T27	6 × 1/8 × 5/8-11	10,200	80	10/20
06467-2	T27	7 × 1/8 × 5/8-11	8,500	80	10/20
06468-9	T27	9 × 1/8 × 5/8-11	6,650	80	10/20
Single Pack 75819-9	T27	4 1/2 × 1/8 × 5/8-11	13,300	80	1/10



Want even more power?

For the ultimate in speed and long life, try 3M™ Cubitron™ II Cut & Grind Wheels.

Cut & Grind Wheel product comparisons

Speed and durability rated on a scale of 1 to 5, with 5 stars being the best.



Attributes	Aluminum oxide	Alumina zirconia	Advanced Series 3M™ Cut & Grind Wheels
Durability / Life	**	***	*****
Speed of Cut	*	**	***
Feel: Smooth	**	***	****
Contaminant-free* (for stainless/inox)	varies	varies	yes
Mineral	aluminum oxide	alumina zirconia	blend of precision-shaped grain
Total Abrasive Spend Per Job	\$\$\$	\$\$	\$
Total Cost of Job (Abrasive, Labor, Processes)	\$\$\$\$	\$\$\$	\$\$

* Contains less than 0.1% Fe, S and Cl.

Product Selection and Use: Many factors beyond 3M's control and uniquely within user's knowledge and control can affect the use and performance of a 3M product in a particular application. As a result, customer is solely responsible for evaluating the product and determining whether it is appropriate and suitable for customer's application, including conducting a workplace hazard assessment and reviewing all applicable regulations and standards (e.g., OSHA, ANSI, etc.). Failure to properly evaluate, select, and use a 3M product and appropriate safety products, or to meet all applicable safety regulations, may result in injury, sickness, death, and/or harm to property.

Warranty, Limited Remedy, and Disclaimer: Unless a different warranty is specifically stated on the applicable 3M product packaging or product literature (in which case such warranty governs), 3M warrants that each 3M product meets the applicable 3M product specification at the time 3M ships the product. 3M MAKES NO OTHER WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR ARISING OUT OF A COURSE OF DEALING, CUSTOM, OR USAGE OF TRADE. If a 3M product does not conform to this warranty, then the sole and exclusive remedy is, at 3M's option, replacement of the 3M product or refund of the purchase price.

Limitation of Liability: Except for the limited remedy stated above, and except to the extent prohibited by law, 3M will not be liable for any loss or damage arising from or related to the 3M product, whether direct, indirect, special, incidental, or consequential (including, but not limited to, lost profits or business opportunity), regardless of the legal or equitable theory asserted, including, but not limited to, warranty, contract, negligence, or strict liability.

Call to speak with a 3M abrasives expert: 1-866-279-1235



Abrasive Systems Division
3M Center, Building 223-6S-03
St. Paul, MN 55144-1000
www.3M.com/abrasives



Please recycle. Printed in USA.
© 3M 2020. All rights reserved.
Issued: 12/20 16454HB
61-5002-8477-5

3M is a trademark of 3M Company. All other trademarks are the property of their respective owners. Used under license by 3M subsidiaries and affiliates.